


xywav™ 

(calcium, magnesium, potassium,  
and sodium oxybates) oral solution 

FOR TREATING CATAPLEXY  
AND/OR EXCESSIVE DAYTIME  
SLEEPINESS IN PEOPLE  
WITH NARCOLEPSY

# I WON'T TAKE NARCOLEPSY LYING DOWN

Discover a treatment option with  
92% less sodium than sodium oxybate



XYWAV™ (calcium, magnesium, potassium, and sodium oxybates) oral solution, 0.5 g/mL total salts (equivalent to 0.413 g/mL of oxybate) is a prescription medicine used to treat the following symptoms in people 7 years of age or older with narcolepsy:

- sudden onset of weak or paralyzed muscles (cataplexy)
- excessive daytime sleepiness (EDS)

## Important Safety Information

**WARNING:** Taking XYWAV with other central nervous system (CNS) depressants such as medicines used to make you or your child fall asleep, including opioid analgesics, benzodiazepines, sedating antidepressants, antipsychotics, sedating anti-epileptic medicines, general anesthetics, muscle relaxants, alcohol, or street drugs, may cause serious medical problems, including trouble breathing (respiratory depression), low blood pressure (hypotension), changes in alertness (drowsiness), fainting (syncope), and death.

The active ingredient of XYWAV is a form of gamma hydroxybutyrate (GHB). Abuse or misuse of illegal GHB alone or with other drugs that cause changes in alertness (or consciousness) has caused serious side effects. These effects include seizures, trouble breathing (respiratory depression), changes in alertness (drowsiness), coma, and death. Call your doctor right away if you or your child has any of these serious side effects.

Because of these risks, you have to go through the XYWAV and XYREM REMS Program to have your or your child's prescription for XYWAV filled.

**Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED Warning**, and [Medication Guide](#).**

# The first and only lower-sodium oxybate with 92% less sodium than sodium oxybate

**For treating cataplexy and/or EDS in people with narcolepsy ages 7 years and older**

EDS is the uncontrollable need to sleep during the day. Cataplexy is when your muscles suddenly become weak or go limp when you feel strong emotion. XYWAV works to help improve both symptoms.

If you have narcolepsy and are treating your cataplexy and EDS with XYREM® (sodium oxybate) oral solution, talk to your doctor about how to lower your sodium intake with XYWAV.

## How XYWAV is thought to work

The exact way XYWAV works for the treatment of narcolepsy is unknown. XYWAV is thought to work during sleep to help with symptoms of cataplexy and EDS during the day.

Learn more at [XYWAV.com](https://xywav.com)

Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED Warning**, and [Medication Guide](#).

## Ask your doctor about XYWAV



XYREM is indicated for treating cataplexy and EDS in people with narcolepsy. However, it does contain a lot of sodium. If you are currently taking sodium oxybate and are interested in lowering your daily sodium intake, talk to your doctor about XYWAV.



The efficacy and safety of XYWAV were demonstrated in a clinical trial of adult patients with narcolepsy with cataplexy and EDS.





Your dose can be individualized based on efficacy and tolerability. Your doctor may adjust your dosage by starting with a lower dose and, if necessary, increasing it over several weeks until your effective nightly dose is found.

If you are transitioning from XYREM, your doctor is recommended to initially prescribe XYWAV at the same dose and regimen as your XYREM treatment.

## Important Safety Information (continued)

**Do not take XYWAV if you take or your child takes** other sleep medicines or sedatives (medicines that cause sleepiness), drinks alcohol, or has a rare problem called succinic semialdehyde dehydrogenase deficiency.

Keep XYWAV in a safe place to prevent abuse and misuse. Selling or giving away XYWAV may harm others, and is against the law. Tell your doctor if you have ever abused or been dependent on alcohol, prescription medicines, or street drugs.

**xywav™**   
(calcium, magnesium, potassium, and sodium oxybates) oral solution 

## What are the most common side effects of XYWAV?

The most common side effects in adult patients treated with XYWAV in the clinical trial were headache, nausea, dizziness, decreased appetite, parasomnia, diarrhea, excessive sweating, anxiety, and vomiting.

- In patients who remained on treatment, side effects tended to occur early and diminish over time
- Adverse reactions related to XYWAV were reported less frequently, as an overall incidence, in patients taking XYREM at study entry than in XYREM-naïve patients

In children, the most common side effects include nausea, bedwetting, vomiting, headache, weight decrease, decreased appetite, dizziness, and sleepwalking.

## The XYWAV and XYREM REMS

Because of the risk of central nervous system depression, abuse, and misuse, XYWAV is available only by prescription and filled through the Certified Pharmacy in the XYWAV and XYREM REMS.

Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED Warning**, and [Medication Guide](#).



JazzCares® for XYWAV is committed to helping you get therapy support and assistance throughout your treatment journey based on your personal needs.

## Nurse and pharmacy support

Your JazzCares Nurse Case Manager will be with you from the very beginning and will support you in your treatment journey. Through the Certified Pharmacy, a pharmacist is also available 24/7 to answer any questions you may have about your prescription.





Benefits include:

- A dedicated Nurse Case Manager, available Monday – Friday, 7 AM – 8 PM, Central Time
- 24/7 pharmacist support through the Certified Pharmacy

## Important Safety Information (continued)

Anyone who takes XYWAV should not do anything that requires them to be fully awake or is dangerous, including driving a car, using heavy machinery, or flying an airplane, for at least 6 hours after taking XYWAV. Those activities should not be done until you know how XYWAV affects you or your child.

**xywav™**   
(calcium, magnesium, potassium,  
and sodium oxybates) oral solution 

# Personalized resources

JazzCares® will provide personalized information to help you get the most out of your treatment journey. At different points along the way, you will receive relevant tools and resources to help as you start and continue your therapy. That includes myWAV, your 24/7 personalized tool for up-to-date support and motivation that is tailored to your needs.



Resources include:

- myWAV, the 24/7 digital tool for personalized support and motivation
- A Starter Kit with instructions to get you started on your path to your first shipment of XYWAV
- A Welcome Kit with everything you need to manage your XYWAV treatment
- Prescription refill reminders
- Tools and resources to help you consider your overall health when managing your narcolepsy
- Information and support resources for caregivers and loved ones

## Important Safety Information (continued)

XYWAV can cause serious side effects, including the following:

- **Breathing problems, including** slower breathing, trouble breathing, and/or short periods of not breathing while sleeping (sleep apnea). People who already have breathing or lung problems have a higher chance of having breathing problems when they use XYWAV.
- **Mental health problems, including** confusion, seeing or hearing things that are not real (hallucinations), unusual or disturbing thoughts (abnormal thinking), feeling anxious or upset, depression, thoughts of killing yourself or trying to kill yourself, increased tiredness, feelings of guilt or worthlessness, or difficulty concentrating. Tell your doctor if you or your child have or had depression or have tried to harm yourself or themselves. **Call your doctor right away if you have or your child has symptoms of mental health problems or a change in weight or appetite.**
- **Sleepwalking.** Sleepwalking can cause injuries. Call your doctor if you or your child starts sleepwalking. Your doctor should check you or your child.



BY THE MAKER OF  
**xywav™**  
(calcium, magnesium, potassium,  
and sodium oxybates) oral solution ©

Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED Warning**, and [Medication Guide](#).

**xywav™**  
(calcium, magnesium, potassium,  
and sodium oxybates) oral solution ©

# Financial assistance programs

Jazz Pharmaceuticals is here to help make XYWAV affordable.

## Savings and support programs<sup>a</sup>

\$5

### The XYWAV Coupon Program

If you are eligible, you **MAY PAY AS LITTLE AS \$5 PER PRESCRIPTION.**<sup>b-d</sup>



### The XYWAV Quick Start Voucher

If you are waiting for insurance coverage, you **MAY RECEIVE A FREE 1-MONTH SUPPLY OF XYWAV.**<sup>b-d</sup>



### THE XYWAV Bridge Program

Experiencing delays in getting insurance approval? You **MAY BE ELIGIBLE FOR UP TO 4 MONTHS OF FREE XYWAV WHILE WAITING FOR COVERAGE APPROVAL.**<sup>c,d</sup>

## Jazz support without insurance coverage



### The XYWAV Patient Assistance Program

If you are uninsured or your insurance does not cover XYWAV, you **MAY RECEIVE TREATMENT AT NO COST.**<sup>c,e</sup>

<sup>a</sup>For patients with commercial insurance (HMO, PPO, employer-sponsored, etc).

<sup>b</sup>Subject to a maximum monthly benefit.

<sup>c</sup>You must be a resident of the US, Puerto Rico, or other US territory.

<sup>d</sup>You must be eligible, commercially insured, and enrolled in the XYWAV and XYREM REMS.

<sup>e</sup>Subject to financial and other eligibility criteria.

Jazz Pharmaceuticals reserves the right to terminate or modify this program at any time with or without notice. Other terms and conditions apply.

Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED Warning**, and [Medication Guide](#).

## Important Safety Information (continued)


The most common side effects of XYWAV in adults include headache, nausea, dizziness, decreased appetite, parasomnia (a sleep disorder that can include abnormal dreams, abnormal rapid eye movement (REM) sleep, sleep paralysis, sleep talking, sleep terror, sleep-related eating disorder, sleep walking, and other abnormal sleep-related events), diarrhea, excessive sweating (hyperhidrosis), anxiety and vomiting.

The most common side effects of XYWAV in children include nausea, bedwetting, vomiting, headache, weight decrease, decreased appetite, dizziness, and sleepwalking.

XYWAV can cause physical dependence and craving for the medicine when it is not taken as directed. These are not all the possible side effects of XYWAV.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

xywav™ 

(calcium, magnesium, potassium, and sodium oxybates) oral solution 

Jazz Cares 

Making a difference in Patients' lives, one Patient at a time

Please see additional Important Safety Information throughout and full [Prescribing Information](#), including **BOXED Warning**, and [Medication Guide](#).



Jazz Pharmaceuticals

©2021 Jazz Pharmaceuticals plc or its subsidiaries  
US-XYW-2000315 Rev0321